










































Surgery Tracking Sheet for Straumann® Cutting Instruments


















S = Standard
SP = Standard Plus
TE = Tapered Effect
NNC = Narrow Neck Crossfit
BL = Bone Level

Cutting instruments for S, SP, TE, NNC, BL Implants

| Article | Art. No. | Dimensions | Number of surgical procedures | | | | | | | | | | | | | | | | | |
|----------------------|--|-----------------|-------------------------------|---|---|---|---|---|---|---|---|----|--|--|--|--|--|--|--|--|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | | | |
| Round Bur |  044.022 | Ø 1.4 mm | | | | | | | | | | | | | | | | | | |
| Round Bur |  044.003 | Ø 2.3 mm | | | | | | | | | | | | | | | | | | |
| Round Bur |  044.004 | Ø 3.1 mm | | | | | | | | | | | | | | | | | | |
| Pilot Drill 1 |  044.210 | Ø 2.2 mm, short | | | | | | | | | | | | | | | | | | |
| Pilot Drill 1 |  044.211 | Ø 2.2 mm, long | | | | | | | | | | | | | | | | | | |
| Pilot Drill 2 |  044.214 | Ø 2.8 mm, short | | | | | | | | | | | | | | | | | | |
| Pilot Drill 2 |  044.215 | Ø 2.8 mm, long | | | | | | | | | | | | | | | | | | |
| Twist Drill PRO |  044.250 | Ø 3.5 mm, short | | | | | | | | | | | | | | | | | | |
| Twist Drill PRO |  044.251 | Ø 3.5 mm, long | | | | | | | | | | | | | | | | | | |
| Twist Drill PRO |  044.254 | Ø 4.2 mm, short | | | | | | | | | | | | | | | | | | |
| Twist Drill PRO |  044.255 | Ø 4.2 mm, long | | | | | | | | | | | | | | | | | | |
| SP Profile Drill, RN |  044.086 | Ø 2.8 mm, short | | | | | | | | | | | | | | | | | | |
| SP Profile Drill, RN |  044.087 | Ø 2.8 mm, long | | | | | | | | | | | | | | | | | | |
| SP Profile Drill, RN |  044.088 | Ø 3.5 mm, short | | | | | | | | | | | | | | | | | | |
| SP Profile Drill, RN |  044.089 | Ø 3.5 mm, long | | | | | | | | | | | | | | | | | | |
| SP Profile Drill, WN |  044.084 | Ø 4.2 mm, short | | | | | | | | | | | | | | | | | | |
| SP Profile Drill, WN |  044.085 | Ø 4.2 mm, long | | | | | | | | | | | | | | | | | | |
| TE Profile Drill, RN |  044.701 | Ø 2.8 mm, short | | | | | | | | | | | | | | | | | | |
| TE Profile Drill, RN |  044.708 | Ø 2.8 mm, long | | | | | | | | | | | | | | | | | | |
| TE Profile Drill, RN |  044.705 | Ø 3.5 mm, short | | | | | | | | | | | | | | | | | | |
| TE Profile Drill, RN |  044.712 | Ø 3.5 mm, long | | | | | | | | | | | | | | | | | | |
| TE Profile Drill, WN |  044.703 | Ø 4.2 mm, short | | | | | | | | | | | | | | | | | | |
| TE Profile Drill, WN |  044.710 | Ø 4.2 mm, long | | | | | | | | | | | | | | | | | | |
| BL/NNC Profile Drill |  026.2303 | Ø 3.3 mm, short | | | | | | | | | | | | | | | | | | |
| BL/NNC Profile Drill |  026.2306 | Ø 3.3 mm, long | | | | | | | | | | | | | | | | | | |
| BL Profile Drill |  026.4303 | Ø 4.1 mm, short | | | | | | | | | | | | | | | | | | |
| BL Profile Drill |  026.4306 | Ø 4.1 mm, long | | | | | | | | | | | | | | | | | | |
| BL Profile Drill |  026.6303 | Ø 4.8 mm, short | | | | | | | | | | | | | | | | | | |
| BL Profile Drill |  026.6306 | Ø 4.8 mm, long | | | | | | | | | | | | | | | | | | |
| S/SP Tap for Ratchet |  044.590 | Ø 3.3 mm, short | | | | | | | | | | | | | | | | | | |
| S/SP Tap for Ratchet |  044.591 | Ø 3.3 mm, long | | | | | | | | | | | | | | | | | | |
| S/SP Tap for adapter |  044.575 | Ø 3.3 mm | | | | | | | | | | | | | | | | | | |

| Article | Art. No. | Dimensions | Number of surgical procedures | | | | | | | | | | | |
|---|----------|-----------------|-------------------------------|---|---|---|---|---|---|---|---|----|--|--|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | |
| S/SP Tap for Ratchet  | 044.592 | Ø 4.1 mm, short | | | | | | | | | | | | |
| S/SP Tap for Ratchet  | 044.593 | Ø 4.1 mm, long | | | | | | | | | | | | |
| S/SP Tap for adapter  | 044.577 | Ø 4.1 mm | | | | | | | | | | | | |
| S/SP Tap for Ratchet  | 044.594 | Ø 4.8 mm, short | | | | | | | | | | | | |
| S/SP Tap for Ratchet  | 044.595 | Ø 4.8 mm, long | | | | | | | | | | | | |
| S/SP Tap for adapter  | 044.579 | Ø 4.8 mm | | | | | | | | | | | | |
| BL/TE/NNC Tap for adapter  | 026.2310 | Ø 3.3 mm | | | | | | | | | | | | |
| BL/TE Tap for adapter  | 026.4310 | Ø 4.1 mm | | | | | | | | | | | | |
| BL/TE Tap for adapter  | 026.6310 | Ø 4.8 mm | | | | | | | | | | | | |

Cutting instruments for Bone Level Tapered (BLT) Implants

| Article | Art. No. | Dimensions | Number of surgical procedures | | | | | | | | | | | |
|---|----------|-----------------|-------------------------------|---|---|---|---|---|---|---|---|----|--|--|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | |
| BLT Pilot Drill  | 026.0001 | Ø 2.2 mm, short | | | | | | | | | | | | |
| BLT Pilot Drill  | 026.0002 | Ø 2.2 mm, long | | | | | | | | | | | | |
| BLT Drill  | 026.2200 | Ø 2.8 mm, short | | | | | | | | | | | | |
| BLT Drill  | 026.2201 | Ø 2.8 mm, long | | | | | | | | | | | | |
| BLT Drill  | 026.4200 | Ø 3.5 mm, short | | | | | | | | | | | | |
| BLT Drill  | 026.4201 | Ø 3.5 mm, long | | | | | | | | | | | | |
| BLT Drill  | 026.6200 | Ø 4.2 mm, short | | | | | | | | | | | | |
| BLT Drill  | 026.6201 | Ø 4.2 mm, long | | | | | | | | | | | | |
| BLT Profile Drill  | 026.0003 | Ø 3.3 mm, short | | | | | | | | | | | | |
| BLT Profile Drill  | 026.0004 | Ø 3.3 mm, long | | | | | | | | | | | | |
| BLT Profile Drill  | 026.0005 | Ø 4.1 mm, short | | | | | | | | | | | | |
| BLT Profile Drill  | 026.0006 | Ø 4.1 mm, long | | | | | | | | | | | | |
| BLT Profile Drill  | 026.0007 | Ø 4.8 mm, short | | | | | | | | | | | | |
| BLT Profile Drill  | 026.0008 | Ø 4.8 mm, long | | | | | | | | | | | | |
| BLT Tap  | 026.0009 | Ø 3.3 mm | | | | | | | | | | | | |
| BLT Tap  | 026.0010 | Ø 4.1 mm | | | | | | | | | | | | |
| BLT Tap  | 026.0011 | Ø 4.8 mm | | | | | | | | | | | | |

Note: Because Straumann Drills and Taps are precisely manufactured and made of high quality material, they can be used in up to 10 surgical procedures. However, careful handling and cleaning techniques are essential to maintain correct function (refer to *Care and maintenance of surgical and prosthetic instruments*, USLIT 119).