

BONE LEVEL IMPLANT LINE

Customer# _____ Name: _____ Date: _____

Payment Type: NET 30 Credit Card FedEx: Overnight/10:30 am Overnight/4:30 pm 2-day 3-5 day Page ____ of ____

Art. No.	Dimension	Qty.
----------	-----------	------

Surgical Components

Straumann® Bone Level Implant

Ø 3.3 SLActive®

021.2108	NC, L 8.0	
021.2110	NC, L 10.0	
021.2112	NC, L 12.0	
021.2114	NC, L 14.0	

Ø 4.1 SLActive

021.4108	RC, L 8.0	
021.4110	RC, L 10.0	
021.4112	RC, L 12.0	
021.4114	RC, L 14.0	

Ø 4.8 SLActive

021.6108	RC, L 8.0	
021.6110	RC, L 10.0	
021.6112	RC, L 12.0	
021.6114	RC, L 14.0	

Ø 3.3 mm, SLA®

021.2408	NC, L 8.0 mm	
021.2410	NC, L 10.0 mm	
021.2412	NC, L 12.0 mm	
021.2414	NC, L 14.0 mm	

Ø 4.1 mm, SLA

021.4408	RC, L 8.0 mm	
021.4410	RC, L 10.0 mm	
021.4412	RC, L 12.0 mm	
021.4414	RC, L 14.0 mm	

Ø 4.8 mm, SLA

021.6408	RC, L 8.0	
021.6410	RC, L 10.0	
021.6412	RC, L 12.0	
021.6414	RC, L 14.0	

Closure Screw

024.2100-04	NC, H 0.0	
024.2105-04	NC, H 0.5	
024.4100-04	RC, H 0.0	
024.4105-04	RC, H 0.5	

Art. No.	Dimension	Qty.
----------	-----------	------

Healing Abutments

Healing Abutment, customizable*

024.2270	NC, D 5.0	
024.4270	RC, D 7.0	

Healing Abutment, conical shape

024.2222	NC, D 3.6, GH 2.0	
024.2224	NC, D 3.6, GH 3.5	
024.2226	NC, D 3.6, GH 5.0	
024.2242	NC, D 4.8, GH 2.0	
024.2244	NC, D 4.8, GH 3.5	
024.2246	NC, D 4.8, GH 5.0	
024.4222	RC, D 4.5, GH 2.0	
024.4224	RC, D 4.5, GH 4.0	
024.4226	RC, D 4.5, GH 6.0	
024.4242	RC, D 6.0, GH 2.0	
024.4244	RC, D 6.0, GH 4.0	
024.4246	RC, D 6.0, GH 6.0	

Healing Abutment, bottle shape

024.2234	NC, D 3.3, GH 3.5	
024.2236	NC, D 3.3, GH 5.0	
024.4234	RC, D 4.4, GH 4.0	
024.4236	RC, D 4.7, GH 6.0	

Temporary Abutments

Temporary Abutment*

024.2370	NC, D 5.0	
024.4370	RC, D 7.0	
024.2371	NC, engaging, H 11.0	
024.2375	NC, non-engaging, H 11.0	
024.4371	RC, engaging, H 11.0	
024.4375	RC, non-engaging, H 11.0	

Impression Components, Implant Level

Impression Post

025.2201	NC, closed tray	
025.4201	RC, closed tray	
025.2202	NC, open tray, short	
025.4202	RC, open tray, short	
025.2205	NC, open tray, long	
025.4205	RC, open tray, long	

Implant Analog

025.2101	NC	
025.4101	RC	

Bite Registration Aid

025.2208-04	NC, H 8.0	
025.2212-04	NC, H 12.0	
025.4208-04	RC, H 8.0	
025.4212-04	RC, H 12.0	

Art. No.	Dimension	Qty.
----------	-----------	------

Instruments

Bone Level Distance Indicator

026.0901		
----------	--	--

Bone Level Profile Drill

026.2303	Ø 3.3 mm, short	
026.2306	Ø 3.3 mm, long	
026.4303	Ø 4.1 mm, short	
026.4306	Ø 4.1 mm, long	
026.6303	Ø 4.8 mm, short	
026.6306	Ø 4.8 mm, long	

BL/TE Tap

026.2310	Ø 3.3 mm	
026.4310	Ø 4.1 mm	
026.6310	Ø 4.8 mm	

Guiding Cylinder, for explantation

026.2801	NC, Ø 3.3 mm	
026.4801	RC, Ø 4.1 mm	
026.6801	RC, Ø 4.8 mm	

NC = Narrow CrossFit® Connection

RC = Regular CrossFit Connection

L = length

D = Diameter

GH = Gingiva Height

AH = Abutment Height

H = Height

-04 = Pack of 4

*corresponding basal screw included in package

Send order to:
Straumann USA, LLC
60 Minuteman Road
Andover, MA 01810



Online: www.straumann.us/e-shop
Phone: 800/448 8168
Fax: 800/524 6752

BONE LEVEL IMPLANT LINE

Customer# _____ Name: _____ Date: _____

Payment Type: NET 30 Credit Card FedEx: Overnight/10:30 am Overnight/4:30 pm 2-day 3-5 day Page ____ of ____

Art. No.	Dimension	Qty.
----------	-----------	------

Abutments

Anatomic Abutment*



022.2102	NC, 0°, GH 2.0	
022.2104	NC, 0°, GH 3.5	
022.2152	NC, 15°, GH 2.0	
022.2154	NC, 15°, GH 3.5	
022.4102	RC, 0°, GH 2.0	
022.4104	RC, 0°, GH 3.5	
022.4152	RC, 15°, GH 2.0	
022.4154	RC, 15°, GH 3.5	

Meso Abutment*



022.2202	NC, D 6.0, H 13.5	
022.4202	RC, D 8.0, H 13.5	

Gold Abutment*



022.2410	NC, crown	
022.4410	RC, crown	
022.4430	RC, bridge	

Straumann® CAD/CAM Abutment* (excl. Scanbody)



Order at: <http://cares.straumann.com>

Straumann Anatomic IPS e.max® Abutment



022.4812	RC, 0°, GH 2.0, ZrO ₂ MO 0	
022.4814	RC, 0°, GH 3.5, ZrO ₂ MO 0	
022.4822	RC, 15°, GH 2.0, ZrO ₂ MO 0	
022.4824	RC, 15°, GH 3.5, ZrO ₂ MO 0	
022.4832	RC, 0°, GH 2.0, ZrO ₂ MO 1	
022.4834	RC, 0°, GH 3.5, ZrO ₂ MO 1	
022.4842	RC, 15°, GH 2.0, ZrO ₂ MO 1	
022.4844	RC, 15°, GH 3.5, ZrO ₂ MO 1	

Abutment for Bars*



022.2701	NC, gold	
022.4701	RC, gold	
022.2702	NC, titanium	
022.4702	RC, titanium	

LOCATOR® Abutment



022.2502	NC, H 2.0	
022.2503	NC, H 3.0	
022.2504	NC, H 4.0	
022.2505	NC, H 5.0	
022.2506	NC, H 6.0	
022.4501	RC, H 1.0	
022.4502	RC, H 2.0	
022.4503	RC, H 3.0	
022.4504	RC, H 4.0	
022.4505	RC, H 5.0	
022.4506	RC, H 6.0	

Art. No.	Dimension	Qty.
----------	-----------	------

Cementable Abutment (Abutments and Auxiliaries)

Cementable Abutment*



022.2311	NC, D 3.5, GH 1.0, AH 4.0	
022.2312	NC, D 3.5, GH 2.0, AH 4.0	
022.2313	NC, D 3.5, GH 3.0, AH 4.0	
022.2315	NC, D 3.5, GH 1.0, AH 5.5	
022.2316	NC, D 3.5, GH 2.0, AH 5.5	
022.2317	NC, D 3.5, GH 3.0, AH 5.5	
022.2321	NC, D 5.0, GH 1.0, AH 4.0	
022.2322	NC, D 5.0, GH 2.0, AH 4.0	
022.2323	NC, D 5.0, GH 3.0, AH 4.0	
022.2325	NC, D 5.0, GH 1.0, AH 5.5	
022.2326	NC, D 5.0, GH 2.0, AH 5.5	
022.2327	NC, D 5.0, GH 3.0, AH 5.5	
022.4321	RC, D 5.0, GH 1.0, AH 4.0	
022.4322	RC, D 5.0, GH 2.0, AH 4.0	
022.4323	RC, D 5.0, GH 3.0, AH 4.0	
022.4325	RC, D 5.0, GH 1.0, AH 5.5	
022.4326	RC, D 5.0, GH 2.0, AH 5.5	
022.4327	RC, D 5.0, GH 3.0, AH 5.5	
022.4331	RC, D 6.5, GH 1.0, AH 4.0	
022.4332	RC, D 6.5, GH 2.0, AH 4.0	
022.4333	RC, D 6.5, GH 3.0, AH 4.0	
022.4335	RC, D 6.5, GH 1.0, AH 5.5	
022.4336	RC, D 6.5, GH 2.0, AH 5.5	
022.4337	RC, D 6.5, GH 3.0, AH 5.5	

Impression Cap, for Cementable Abutment (abutment level)



025.2203-04	NC, D 3.5, AH 4.0	
025.2204-04	NC, D 5.0, AH 4.0	
025.2220-04	NC, D 5.0, AH 5.5	
025.4203-04	RC, D 5.0, AH 4.0	
025.4220-04	RC, D 5.0, AH 5.5	
025.4204-04	RC, D 6.5, AH 4.0	
025.4230-04	RC, D 6.5, AH 5.5	

NC = Narrow CrossFit® Connection

RC = Regular CrossFit Connection

L = Length

D = Diameter

GH = Gingiva Height

AH = Abutment Height

H = Height

-04 = Pack of 4


MO 0 = Medium Opacity, White

MO 1 = Medium Opacity, Shaded

*corresponding basal screw included in package

LOCATOR® is a registered trademark of Zest Anchors, Inc.

IPS e.max® is a registered trademark of Ivoclar Vivadent, AG.



Art. No.	Dimension	Qty.
----------	-----------	------

Cementable Abutment (Abutments and Auxiliaries)

Implant Analog, for Cementable Abutment (abutment level)



025.2112	NC, D 3.5, AH 4.0	
025.2116	NC, D 3.5, AH 5.5	
025.2122	NC, D 5.0, AH 4.0	
025.2126	NC, D 5.0, AH 5.5	
025.4132	RC, D 5.0, AH 4.0	
025.4136	RC, D 5.0, AH 5.5	
025.4122	RC, D 6.5, AH 4.0	
025.4126	RC, D 6.5, AH 5.5	

Protective Cap, for Cementable Abutment



024.2312-04	NC, D 3.5, AH 4.0	
024.2316-04	NC, D 3.5, AH 5.5	
024.2322-04	NC, D 5.0, AH 4.0	
024.2326-04	NC, D 5.0, AH 5.5	
024.4322-04	RC, D 5.0, AH 4.0	
024.4326-04	RC, D 5.0, AH 5.5	
024.4332-04	RC, D 6.5, AH 4.0	
024.4336-04	RC, D 6.5, AH 5.5	

Temporary Coping, for Cementable Abutment



024.2346	NC, D 3.5	
024.2356	NC, D 5.0	
024.4356	RC, D 5.0	
024.4366	RC, D 6.5	

Coping, for Cementable Abutment (burn-out)



023.2310	NC, D 3.5, bridge	
023.2316	NC, D 3.5, crown	
023.2320	NC, D 5.0, bridge	
023.2326	NC, D 5.0, crown	
023.4320	RC, D 5.0, bridge	
023.4326	RC, D 5.0, crown	
023.4330	RC, D 6.5, bridge	
023.4336	RC, D 6.5, crown	

Transfer Aid, for Cementable Abutment



025.2911-04	NC, D 3.5	
025.2912-04	NC, D 5.0	
025.4912-04	RC, D 5.0	
025.4913-04	RC, D 6.5	

BONE LEVEL IMPLANT LINE

Customer# _____ Name: _____ Date: _____

Payment Type: NET 30 Credit Card FedEx: Overnight/10:30 am Overnight/4:30 pm 2-day 3-5 day Page ____ of ____

Art. No.	Dimension	Qty.
----------	-----------	------

Multi-Base Abutment (Abutments and Auxiliaries)

Multi-Base Abutment



022.2731	NC, 0°, D 3.5, GH 1.0	
022.2732	NC, 0°, D 3.5, GH 2.5	
022.2734	NC, 0°, D 3.5, GH 4.0	
022.2741	NC, 0°, D 4.5, GH 1.0	
022.2742	NC, 0°, D 4.5, GH 2.5	
022.2744	NC, 0°, D 4.5, GH 4.0	
022.2782	NC, 25° A*	
022.2786	NC, 25° B*	
022.4741	RC, 0°, D 4.5, GH 1.0	
022.4742	RC, 0°, D 4.5, GH 2.5	
022.4744	RC, 0°, D 4.5, GH 4.0	
022.4761	RC, 0°, D 6.5, GH 1.0	
022.4762	RC, 0°, D 6.5, GH 2.5	
022.4764	RC, 0°, D 6.5, GH 4.0	
022.4782	RC, 25° A*	
022.4786	RC, 25° B*	

Impression Post, for Multi-Base Abutment (abutment level)



025.2232	NC, 0°, D 3.5	
025.2242	NC, 0°, D 4.5	
025.2206	NC, 25°	
025.4242	RC, 0°, D 4.5	
025.4262	RC, 0°, D 6.5	
025.4206	RC, 25°	

Impression Cap, for Multi-Base Abutment (abutment level)



025.2231-04	NC, 0°, D 3.5	
025.2241-04	NC, 0°, D 4.5	
025.4241-04	RC, 0°, D 4.5	
025.4261-04	RC, 0°, D 6.5	

Implant Analog, for Multi-Base Abutment (abutment level)



025.2131	NC, 0°, D 3.5	
025.2141	NC, 0°, D 4.5	
025.2106	NC, 25°	
025.4141	RC, 0°, D 4.5	
025.4161	RC, 0°, D 6.5	
025.4106	RC, 25°	

Art. No.	Dimension	Qty.
----------	-----------	------

Multi-Base Abutment (Abutments and Auxiliaries)

Protective Cap**, for Multi-Base Abutment



024.2331-04	NC, 0°, D 3.5	
024.2341-04	NC, 0°, D 4.5	
024.2306-04	NC, 25°	
024.4341-04	RC, 0°, D 4.5	
024.4361-04	RC, 0°, D 6.5	
024.4306-04	RC, 25°	

Temporary Coping**, for Multi-Base Abutment



024.2332	NC, 0°, D 3.5	
024.2342	NC, 0°, D 4.5	
024.2307	NC, 25°	
024.4342	RC, 0°, D 4.5	
024.4362	RC, 0°, D 6.5	
024.4307	RC, 25°	

Coping**, for Multi-Base Abutment (burn-out)



023.2734	NC, 0°, D 3.5	
023.2744	NC, 0°, D 4.5	
023.2704	NC, 25°	
023.4744	RC, 0°, D 4.5	
023.4764	RC, 0°, D 6.5	
023.4704	RC, 25°	

Coping**, for Multi-Base Abutment (gold)



023.2731	NC, 0°, D 3.5, bridge	
023.2741	NC, 0°, D 4.5, bridge	
023.2732	NC, 0°, D 3.5, bar	
023.2742	NC, 0°, D 4.5, bar	
023.2701	NC, 25°, bridge	
023.2702	NC, 25°, bar	
023.4741	RC, 0°, D 4.5, bridge	
023.4761	RC, 0°, D 6.5, bridge	
023.4742	RC, 0°, D 4.5, bar	
023.4762	RC, 0°, D 6.5, bar	
023.4701	RC, 25°, bridge	
023.4702	RC, 25°, bar	

Art. No.	Dimension	Qty.
----------	-----------	------

Multi-Base Abutment (Abutments and Auxiliaries)

Coping**, for Multi-Base Abutment (titanium)



023.2736	NC, 0°, D 3.5, bar	
023.2746	NC, 0°, D 4.5, bar	
023.2706	NC, 25°, bar	
023.4746	RC, 0°, D 4.5, bar	
023.4766	RC, 0°, D 6.5, bar	
023.4706	RC, 25°, bar	

Stabilization Pin, for bar on Multi-Base Abutment



025.0911-04	NC/RC	
-------------	-------	--

Occlusal Screw, for coping on Multi-Base Abutment (only)



025.0900-04	NC/RC	
-------------	-------	--

NC = Narrow CrossFit® Connection

RC = Regular CrossFit Connection

L = Length

D = Diameter

GH = Gingiva Height


AH = Abutment Height

H = Height

-04 = Pack of 4

*corresponding basal screw included in package

**corresponding occlusal screw included in package



Send order to:
Straumann USA, LLC
60 Minuteman Road
Andover, MA 01810



Online: www.straumann.us/e-shop
Phone: 800/448 8168
Fax: 800/524 6752

BONE LEVEL IMPLANT LINE

Customer# _____ Name: _____ Date: _____

Payment Type: NET 30 Credit Card FedEx: Overnight/10:30 am Overnight/4:30 pm 2-day 3-5 day Page ____ of ____

Art. No.	Dimension	Qty.
----------	-----------	------

Prosthetic Planning Components

PLAN Set/PLAN Cassette

026.0101	Set	
026.0102	Cassette, empty	

PLAN Anatomic Abutment

025.2601-04	NC, 0°, GH 2.0	
025.2602-04	NC, 0°, GH 3.5	
025.2603-04	NC, 15°, GH 2.0	
025.2604-04	NC, 15°, GH 3.5	
025.4601-04	RC, 0°, GH 2.0	
025.4602-04	RC, 0°, GH 3.5	
025.4603-04	RC, 15°, GH 2.0	
025.4604-04	RC, 15°, GH 3.5	

PLAN Gold Abutment

025.2610-04	NC, crown	
025.4610-04	RC, crown	
025.4630-04	RC, bridge	

PLAN LOCATOR® Abutment

025.2642-04	NC, H 2.0	
025.2643-04	NC, H 3.0	
025.2644-04	NC, H 4.0	
025.2645-04	NC, H 5.0	
025.2646-04	NC, H 6.0	
025.4641-04	RC, H 1.0	
025.4642-04	RC, H 2.0	
025.4643-04	RC, H 3.0	
025.4644-04	RC, H 4.0	
025.4645-04	RC, H 5.0	
025.4646-04	RC, H 6.0	

Art. No.	Dimension	Qty.
----------	-----------	------

Prosthetic Planning Components

PLAN Cementable Abutment

025.2611-04	NC, D 3.5, GH 1.0, AH 4.0	
025.2612-04	NC, D 3.5, GH 2.0, AH 4.0	
025.2613-04	NC, D 3.5, GH 3.0, AH 4.0	
025.2615-04	NC, D 3.5, GH 1.0, AH 5.5	
025.2616-04	NC, D 3.5, GH 2.0, AH 5.5	
025.2617-04	NC, D 3.5, GH 3.0, AH 5.5	
025.2621-04	NC, D 5.0, GH 1.0, AH 4.0	
025.2622-04	NC, D 5.0, GH 2.0, AH 4.0	
025.2623-04	NC, D 5.0, GH 3.0, AH 4.0	
025.2625-04	NC, D 5.0, GH 1.0, AH 5.5	
025.2626-04	NC, D 5.0, GH 2.0, AH 5.5	
025.2627-04	NC, D 5.0, GH 3.0, AH 5.5	
025.4621-04	RC, D 5.0, GH 1.0, AH 4.0	
025.4622-04	RC, D 5.0, GH 2.0, AH 4.0	
025.4623-04	RC, D 5.0, GH 3.0, AH 4.0	
025.4625-04	RC, D 5.0, GH 1.0, AH 5.5	
025.4626-04	RC, D 5.0, GH 2.0, AH 5.5	
025.4627-04	RC, D 5.0, GH 3.0, AH 5.5	
025.4631-04	RC, D 6.5, GH 1.0, AH 4.0	
025.4632-04	RC, D 6.5, GH 2.0, AH 4.0	
025.4633-04	RC, D 6.5, GH 3.0, AH 4.0	
025.4635-04	RC, D 6.5, GH 1.0, AH 5.5	
025.4636-04	RC, D 6.5, GH 2.0, AH 5.5	
025.4637-04	RC, D 6.5, GH 3.0, AH 5.5	

PLAN Multi-Base Abutment

025.2651-04	NC, 0°, D 3.5, GH 1.0	
025.2652-04	NC, 0°, D 3.5, GH 2.5	
025.2654-04	NC, 0°, D 3.5, GH 4.0	
025.2656-04	NC, 0°, D 4.5, GH 1.0	
025.2657-04	NC, 0°, D 4.5, GH 2.5	
025.2659-04	NC, 0°, D 4.5, GH 4.0	
025.2662-04	NC, 25° A	
025.2665-04	NC, 25° B	
025.4651-04	RC, 0°, D 4.5, GH 1.0	
025.4652-04	RC, 0°, D 4.5, GH 2.5	
025.4654-04	RC, 0°, D 4.5, GH 4.0	
025.4656-04	RC, 0°, D 6.5, GH 1.0	
025.4657-04	RC, 0°, D 6.5, GH 2.5	
025.4659-04	RC, 0°, D 6.5, GH 4.0	
025.4662-04	RC, 25° A	
025.4665-04	RC, 25° B	

Art. No.	Dimension	Qty.
----------	-----------	------

Auxiliaries

Polishing Aid

025.2920	NC	
025.2920-04	NC	
025.4920	RC	
025.4920-04	RC	

Wax-up sleeve, for single use, Straumann® CAD/CAM Abutment

025.2903	NC	
025.2903-04	NC	
025.4903	RC	
025.4903-04	RC	

Screws

Basal Screw

025.2900	NC	
025.4900	RC	

Basal Screw, for Gold Abutment, for bridge (only)

025.4902	RC	
----------	----	--

Basal Screw, for Cementable Abutment (only)

025.2908	NC	
025.4908	RC	

Basal Screw, for Straumann® CAD/CAM Abutment, ZrO₂ (only)

025.2906	NC	
025.4906	RC	

NC = Narrow CrossFit®

RC = Regular CrossFit

L = Length

D = Diameter

GH = Gingiva Height

AH = Abutment Height

H = Height

-04 = Pack of 4

LOCATOR® is a registered trademark of Zest Anchors, Inc.

Straumann® and SLActive® are trademarks of

Straumann Holding AG or its affiliates